




Silver Creek Stoneworks Product Information

| | Slate  | | | | | Limestone  | | | Travertine  | | | |
|----------------------------|--|---------|---------|---------|---------------------|--|---------|---------|---|---------|---------|---------|
| Size L x W (inches) | 12 x 12 | 18 x 18 | 24 x 12 | 24 x 24 | Bullnose 24 x 12 | 12 x 12 | 24 x 12 | 24 x 24 | Bullnose 14 x 14 | 18 x 12 | 18 x 18 | 24 x 18 |
| Face area (sq ft) | 1 | 2.25 | 2 | 4 | 2 | 1 | 2 | 4 | 1.36 | 1.5 | 2.25 | 3 |
| Unit weight (lbs) | 18 | 41 | 36 | 75 | 36 | 18 | 36 | 75 | 23 | 27 | 40 | 56 |
| Units per pallet | 48 | 24 | 24 | 24 | 24 | 48 | 24 | 24 | 24 | 48 | 24 | 24 |
| Sq ft per pallet | 48 | 54 | 48 | 96 | 48 | 48 | 48 | 96 | 32.64 | 72 | 54 | 72 |
| Weight per pallet | 928 | 1,072 | 952 | 1,888 | 952 | 928 | 952 | 1,888 | 640 | 1,384 | 1,036 | 1,432 |
| Pallets per load* | 44 | 22 | 44 | 22 | 44 | 44 | 44 | 22 | 44 | 22 | 22 | 22 |
| Colors | Western Buff, Iron Mountain, Bluestone, Chilton | | | | | Prairie Blend, Western Buff, Iron Mountain, Chilton | | | Ivory, Kasota | | | |

| | Brick | Cobble Stone | Pillar Caps | | Stone Cut Steps | | Octant | | TEST RESULTS: Freeze-thaw: - 40 Cycles - Passed Compressive strength: - 11,000-13,000 psi Resistance to Surface Flaking: - Norm: 500g/m ² - Silver Creek: 50g/m ² Flexural Strength: - Norm: 650 - Silver Creek: 1,000 | COLOR RANGES: Western Buff: - Sandstone/Brown Iron Mountain - Sandstone/Charcoal Bluestone - Drk Charcoal/Lt Charcoal Prairie Blend - Med Tan/Lt Tan Kasota: - White Cement/Tan Ivory - White Cement Chilton - Gray/Rust, Red |
|----------------------------|--------------|--------------|-------------|-----------|--|--------------|---|--------------|---|---|
| | | | | | 1 sided step | 4 sided step | Starter Kit | Expander Kit | | |
| Size L x W (inches) | 10 x 5 x 2.5 | 8 x 6 x 2.5 | 25 x 25 | 30 x 30 | 48 x 18 x 6 | 48 x 18 x 6 | 7'6" | 10'6" | | |
| Face area (sq ft) | 0.346 | 0.33 | 4.34 | 6.25 | 6 | 6 | 56.25 | 53.75 | | |
| Unit weight (lbs) | 10 | 8.5 | 75 | 112 | 450 | 450 | na | na | | |
| Units per pallet | 252 | 288 | 6 | 6 | 4 | 4 | 25 | 24 | | |
| Sq ft per pallet | 87 | 95 | NA | NA | 24 | 24 | 56.25 | 53.75 | | |
| Weight per pallet | 2,600 | 2,499 | 450 | 672 | 1,880 | 1,880 | 895 | 871 | | |
| Pallets per load* | 18 | 18 | 44 | 44 | 25 | 25 | 22 | 22 | | |
| Colors | Brick | Bluestone | Tan, Gray | Tan, Gray | Western Buff, Iron Mountain, Bluestone, Ivory, Chilton | | Western Buff, Iron Mountain, Bluestone, Chilton | | | |




* Pallet per load based on flatbed trailers. Less pallets per Moffitt load
 Larger tile sizes cannot be double stacked. 48,000 lb. maximum weight limit.

Silver Creek tiles are 1.5 " thick, Brick and Cobble are 2.5" thick.


Popular Patterns

Slate Pattern # 1




| Tile | Tile Size | % of Pattern |
|------|-----------|--------------|
| 1 | 12 x 12 | 24% |
| 2 | 18 x 18 | 28% |
| 3 | 24 x 12 | 24% |
| 4 | 24 x 24 | 24% |

Slate Pattern # 2




| Tile | Tile Size | % of Pattern |
|------|-----------|--------------|
| 1 | 12 x 12 | 14% |
| 2 | 18 x 18 | 0% |
| 3 | 24 x 12 | 29% |
| 4 | 24 x 24 | 57% |

Slate Pattern # 3




| Tile | Tile Size | % of Pattern |
|------|-----------|--------------|
| 1 | 12 x 12 | 14% |
| 2 | 18 x 18 | 57% |
| 3 | 24 x 12 | 29% |
| 4 | 24 x 24 | 0% |

Slate Pattern # 8




| Tile | Tile Size | % of Pattern |
|------|-----------|--------------|
| 1 | 12 x 12 | 19% |
| 2 | 18 x 18 | 43% |
| 3 | 24 x 12 | 38% |
| 4 | 24 x 24 | 0% |

Limestone Pattern # 2




| Tile | Tile Size | % of Pattern |
|------|-----------|--------------|
| 1 | 12 x 12 | 14% |
| 2 | 24 x 12 | 29% |
| 3 | 24 x 24 | 57% |

Limestone Pattern # 3




| Tile | Tile Size | % of Pattern |
|------|-----------|--------------|
| 1 | 12 x 12 | 33% |
| 2 | 24 x 12 | 67% |
| 3 | 24 x 24 | 0% |

Limestone Pattern # 4




| Tile | Tile Size | % of Pattern |
|------|-----------|--------------|
| 1 | 12 x 12 | 20% |
| 2 | 24 x 12 | 0% |
| 3 | 24 x 24 | 80% |

Limestone Pattern # 5




| Tile | Tile Size | % of Pattern |
|------|-----------|--------------|
| 1 | 12 x 12 | 25% |
| 2 | 24 x 12 | 50% |
| 3 | 24 x 24 | 25% |

Travertine Pattern #4



| Tile | Tile Size | % of Pattern |
|------|-----------|--------------|
| 1 | 18 x 12 | 15% |
| 2 | 18 x 18 | 23% |
| 3 | 24 x 18 | 62% |

Travertine Pattern #5



| Tile | Tile Size | % of Pattern |
|------|-----------|--------------|
| 1 | 18 x 12 | 40% |
| 2 | 18 x 18 | 0% |
| 3 | 24 x 18 | 60% |

Formula:

$$\text{Total sq ft} \times \% \text{ Tile Pattern} = \text{sq ft Tile Size}$$

$$\frac{\text{Total sq ft Tile Size}}{\text{Tile sq ft}} = \# \text{ of Tile}$$

